

MATERIAL SAFETY DATA SHEET

DW 302 Dewaxing solution

Identification

Product Name	"DW 302" Dewaxing Solution	UN Number:	1993
		Dangerous Goods Class:	3.2
		Poisons Schedule:	5
		Hazchem Code:	2[s]
		Packaging Group:	III

N/A = Not applicable

Use: Automotive Dewaxing Solution

Physical Description/Properties

Appearance:	reddish liquid
Boiling Point: (Deg.C)	<65
Vapour Pressure:	no data.
Specific Gravity: (at 25 Dec.C)	.72
Solubility in Water:	miscible
Flammability Limits:	flammable
pH as is	neutral

Ingredients

Ingredient	CAS No	
Liquid Hydrocarbons	8008-20-6	>60.0 %
Nonionic Surfactants		<10.0 %
Petroleum Hydrocarbons	108-88-3	10-30 %
Butyl Ether	11-76-2	<10%

Health Hazard Information

Health Effects

Swallowed:	Single dose oral toxicity is low.
Eye:	May cause pain, may irritate eyes. Moderate irritation
Skin:	Prolonged contact may cause flaking or drying of skin.
Inhaled:	Slightly irritating to respiratory tract. Prolonged exposure cause depression of central nervous system and mild narcotic effect.

First Aid

Swallowed:	Do not induce vomiting, give plenty of water & seek medical attention.
Eye:	Immediately hold open eyes open and flush with water continuously for at least 15 minutes. Seek medical attention.
Skin:	Remove all contaminated clothing and wash affected area with plenty of water and soap and seek medical attention.
Inhaled:	Remove from further exposure and apply artificial respiration if not breathing. Seek medical attention.
<u>Advice to doctor</u>	Treat symptomatically.

Precaution for Use

<u>Exposure Limits</u>	Not established, suggest keep below 5 mg/M3
<u>Ventilation</u>	Extra ventilation may be required, equivalent to out doors
<u>Personal Protection</u>	No Smoking, eating or drinking during handling. Avoid any contact with the product. Wear safety goggles, suitable breathing apparatus and gloves
<u>Flammability</u>	The product is flammable.

Safe Handling Information

Storage & Transport

Product is a class 3 Flammable. Store indoors in a dry well ventilated area.

Spills & Disposal

Wear protective clothing, goggles and protective gloves. wear a suitable respiratory device if spillage is in a confined space. Eliminate sources of ignition, use absorbent material or sand. Use drums to dispose.

Contact local Waste Disposal Authority before you dispose of the material. Observe all Federal, State and Local regulations

Fire & Explosive Hazard

Flammable, extinguish with carbon dioxide dry chemical or water foghalogen (BCF).

Keep containers cool by spraying with water to prevent pressure build-up and drums bursting.

Other Information

The information presented herein is true and accurate to the best of our knowledge, but without guarantee unless explicitly given. Since the conditions of use are beyond our control, we disclaim any liability including for patent infringement incurred in connection with the use of these products, data or suggestions.

Contact Point:

Glyn McDonald
Sierra (AUST) PTY. LTD.
17 Delta Street
GEEBUNG QLD 4034

Phone: (07) 3216 5099

Fax: (07) 3216 5199

Signed:

Glyn McDonald _____ September 2007

Note:

This issue supersedes and replaces all previous issues.