

MATERIAL SAFETY DATA SHEET

DW 91 Dewaxing Solution

Identification

Product Name "DW 91" Dewaxing Solution

UN Number:	1300
Dangerous Goods Class:	3
Poisons Schedule:	5
Hazchem Code:	3YE
Packaging Group:	III

Shipping Name:

Flammable Liquids N.O.S. l.f.p.

N/A = Not applicable

Use: Dewaxing Solution

Physical Description/Properties

Appearance:	clear liquid
Boiling Point: (Deg.C)	149 to 196
Vapour Pressure: (mm of Hg @ 25 Deg C)	0.8 kpa @ 38 o C.
Specific Gravity: (at 25 Deg.C)	.81
Solubility in Water:	immiscible
Flammability Limits: (%)	LEL: 1.0 V/V UEL: 7.5% V/V
Flash Point (Deg C)	<37 tag of cup
pH as is	N/A

Ingredients

Ingredient

Mixture of Liquid Hydrocarbons aromatic and aliphatic

Health Hazard Information

Health Effects

Swallowed:	Moderately toxic.
Eye:	May cause pain, may irritate eyes.
Skin:	Prolonged contact may cause flaking or drying of skin.
Inhaled:	Slightly irritating to respiratory tract.

First Aid

Swallowed:	Do not induce vomiting, give plenty of water & seek medical attention.
Eye:	Immediately hold open eyes open and flush with water continuously for at least 15 minutes. Seek medical attention.
Skin:	Remove all contaminated clothing and wash affected area with plenty of water and soap and seek medical attention.
Inhaled:	Remove from further exposure and apply artificial respiration if not breathing. Seek medical attention.
<u>Advice to doctor</u>	Treat symptomatically.

Precaution for Use

<u>Exposure Limits</u>	No T.L.V. Adopted by A.D.G.I.H. 100ppm recommended
<u>Ventilation</u>	Extra ventilation may be required to maintain air levels below the exposure limit.
<u>Personal Protection</u>	No Smoking, eating or drinking during handling. Avoid any contact with the product. Wear safety goggles, suitable breathing apparatus and gloves
<u>Flammability</u>	The product is highly flammable.

Safe Handling Information

Storage & Transport

Product is a class 3 Flammable. Store indoors in a dry well ventilated area, away from ignition sources.

Spills & Disposal

Wear protective clothing, goggles and protective gloves. wear a suitable respiratory device if spillage is in a confined space, remove from all sources of ignition. Absorb with inert material and transfer into drums.

Contact local Waste Disposal Authority before you dispose of material. Observe all Federal, State and local regulations.

Fire & Explosive Hazard

Flammable, extinguish with carbon dioxide, dry chemical or halogen (BCF).

Keep containers cool by spraying with water to prevent pressure build-up and drums bursting.

Other Information

The information presented herein is true and accurate to the best of our knowledge, but without guarantee unless explicitly given. Since the conditions of use are beyond our control, we disclaim any liability including for patent infringement incurred in connection with the use of these products, data or suggestions.

Contact Point:

Glyn McDonald
Sierra (AUST) PTY. LTD.
17 Delta Street
GEEBUNG QLD 4034

Phone: (07) 3216 5099

Fax: (07) 3216 5199

Signed:

_____ Date of issue: 01 November 2007
Glyn McDonald

Note:

This issue supersedes and replaces all previous issues.